

Bakery Line Single

Fan heating



Product description

Bakery Line Single is manufactured for the distribution of hot bakery products. The box is made according to the standard dimensions of bakery trays. The box is designed with ScanBox ExP construction that combines optimized insulation performance with high operational reliability and environmentally conscious choices.

The box is equipped with fan heating that provides fast and uniform heat distribution and can reach operating temperatures of up to 90°C in 30 minutes. Adjustable temperature and ventilation ensure

excellent food quality control. ScanBox Bakery Line Single has capacity for 12 baking trays according to the standard dimensions of 400x600 or 450x600.

Equipped with ScanBox Digital Control, excenter lock, solid door, 160 mm lockable wheels, removable 'L' shaped runners with 100 mm spacing, black RAL 9005, 220-230V single phase with Type F electrical plug. The equipment can be easily adapted as required through available extra options.

Do you want to know more?

Contact us at info@scanbox.se
or +46 (0)454-30 83 00

ScanBox
Bringing your food with care

Technical specification

MODEL SERIE: Bakery Line Single - Fan heating



| Product models | BBSHF40 | BBSHF45 |
|-----------------------------------|--------------------------------------|--------------------------------------|
| Properties | | |
| Regulator | Digital | Digital |
| Heating system | Element with fan & ventilation (std) | Element with fan & ventilation (std) |
| Capacity | | |
| Tray system | 400x600 450x600 | 400x600 450x600 |
| Distance between racks (mm) | 100 | 100 |
| Number of 65mm trays | 12 | 12 |
| Maximum load weight per rack (kg) | 9 | 9 |
| Distance to the first rack (mm) | 20 | 20 |
| Physical Attributes | | |
| Inside depth (mm) | 681 mm | 681 mm |
| Inside width (mm) | 487 mm | 487 mm |
| Inside height (mm) | 1287 mm | 1287 mm |
| Outside depth (mm) | 880 mm | 880 mm |
| Outside width (mm) | 675 mm | 675 mm |
| Outside height (mm) | 1677 mm | 1677 mm |
| Volume (l) | 427 l | 427 l |
| Net weight (kg) | 80 kg | 80 kg |
| Spiral Cord | 4.5 m | 4.5 m |
| Electrical Attributes | | |
| Rated voltage (V) | 220-240V / 1 phase | 220-240V / 1 phase |
| Rated frequency (Hz) | 50-60 Hz | 50-60 Hz |
| Power Rating (A) | 7.98 A | 7.98 A |
| Power (W) | 1800 W | 1800 W |
| IP code | 44 | 44 |

Equipment & Accessories

MODEL SERIE: Bakery Line Single - Fan heating



Castors & Brakes

| | |
|---------|--|
| Default | Castors 160 mm swiveling with brake |
| 1000007 | Castors 160 mm, stainless steel, swiveling with brake |
| 1000009 | Castors 160 mm, all swiveling w. brakes |
| 1000010 | Castors 160 mm, stainless steel, all swiveling w. brakes |
| 1000016 | Castors 200 mm w. central brake |
| 1000008 | Castors 160 mm, dish washable w. brake |
| 1000004 | Castors 200 mm swiveling with brake |
| 1000005 | Castors 160 mm reinforced, swiveling with brake |
| 1000015 | Castors 160 mm w. central brake |
| 1000006 | Castors 200 mm reinforced, swiveling with brake |
| 1000017 | Castors 160 mm stainless steel w. central brake |

Exterior

| | |
|----------|------------------|
| Default | Black (RAL 9005) |
| 303010-2 | Signature Logo |
| 302030-1 | Grey (RAL 7042) |
| 950001 | Signature Cover |
| 302020-1 | Red (RAL 3003) |

Electric System

| | |
|----------|--------------------------------------|
| Default | 220-240V - Type CEE 7/7 |
| 898294-1 | 220-240V - Type K |
| 905390 | 220-240V - Type H |
| 4000556 | 220-240V - Type L |
| 898208-1 | 220-240V - Type J |
| 90001 | 220-240V - Type C |
| 898205-1 | 220-240V - Type G |
| 905817 | 220-240V - Type I |
| 898202-1 | 220-240V - Type G 1,5mm ² |
| 90004 | 220-240V - Type O |
| 898203-1 | 220-240V - Type I |
| 90002 | 220-240V - Type D |
| 4000241 | 220-240V - Type M |

Door

| | |
|---------|--------------|
| Default | Solid |
| 93002 | Glass window |

Door Handle

| | |
|---------|---------------|
| Default | Excenter Lock |
|---------|---------------|

Logistic System

| | |
|----------|-------------------------|
| 361020 | Central Brake |
| 302002-2 | Tow Bar Stainless Steel |
| 302001-3 | Tow Bar VE |

Accessories

| | |
|----------|-------------|
| 400010-1 | Card Holder |
|----------|-------------|

www.scanbox.se

Visiting adress ScanBox AB, Ekängsvägen 1. SE-293 40 Olofström, Sweden
Post adress ScanBox AB, P.O. Box 13. SE-293 21 Olofström, Sweden
Telephone +46 (0) 454 30 83 00 | Fax +46 (0) 454 30 83 30
Email info@scanbox.se | VAT SE556446828701

ScanBox
Bringing your food with care