#### Food2Go

# Compressor cooling + Fan heating





#### Product description

Food2Go is a mobile serving platform designed to hold and transport both hot and cold food. The box is built with ScanBox's ExP construction, combining optimized insulation performance with high operational reliability and environmentally conscious design choices.

As standard, Food2Go is equipped with two individual heating zones on top and a service surface. Below, there are two separate compartments: one with fan-assisted heating for even heat distribution, capable of reaching operating temperatures up to 90°C, and one with compressor cooling that chills

down to 3°C. Adjustable temperature and ventilation settings ensure precise control of food quality. The compartments have a capacity for 7 hot and 7 cold GN 1/1 containers.

Standard features include a central brake, single-grip handles, and removable U-shaped racks with 80 mm spacing for easy cleaning. The equipment can be customized with additional options such as heating lamps, tray slides, and other accessories to streamline the serving process. Contact us for more information.

## Technical specification

#### MODEL SERIE: Food2Go - Compressor cooling + Fan heating



Product models	F2GCF	
Properties		
Regulator	Digital	
Heating system	Element with fan & ventilation (std)	
Cooling system	Compressor back mounted (std)	
Capacity		
Tray system	GN 1/1	
Distance between racks (mm)	80	
Number of 65mm trays	14	
Maximum load weight per rack (kg)	9	
Distance to the first rack (mm)	65	
Physical Attributes		
Outside depth (mm)	780 mm	
Outside width (mm)	1320 mm	
Outside height (mm)	1357 mm	
Net weight (kg)	140 kg	
Spiral Cord	4.5 m	
Electrical Attributes		
Rated voltage (V)	220-240V / 1 phase	
Rated frequency (Hz)	50-60 Hz	
Power Rating (A)	4.23000000 A	
Power (W)	130 W	
Power (W)	350 W	
IP code	22	
Decibel	56	



### Equipment & Accessories

### MODEL SERIE: Food2Go - Compressor cooling + Fan heating



351008-2

Exterior	
Default	Black (RAL 9005)
303010-2	Signature Logo
302030-1	Grey (RAL 7042)
950001	Signature Cover
302020-1	Red (RAL 3003)
Door Handle	
Default	One Grip Handle

One Grip Handle with Lock

Electric System	
Default	220-240V - Type CEE 7/7
898294-1	220-240V - Type K
905390	220-240V - Type H
4000556	220-240V - Type L
898208-1	220-240V - Type J
90001	220-240V - Type C
898205-1	220-240V - Type G
905817	220-240V - Type I
898202-1	220-240V - Type G 1,5mm²
90004	220-240V - Type O
898203-1	220-240V - Type I
90002	220-240V - Type D
4000241	220-240V - Type M
Door	
Default	Solid
Logistic System	
302002-2	Tow Bar Stainless Steel
302001-3	Tow Bar VE
Accessories	
400003-1	Eutectic Plate GN 1/1
400001-1	Eutectic Plate Holder Ergo Line

#### www.scanbox.se

