Plated Line Single

Fan heating





Product description

Plated Line Single is manufactured to hold and transport hot plated food easily and safely. The box is designed with ScanBox ExP construction that combines optimized insulation performance with high operational reliability and environmentally conscious choices.

The box is equipped with fan heating that provides fast and uniform heat distribution and can reach operating temperatures of up to 90°C in 30 minutes. Adjustable temperature and ventilation ensure

excellent food quality control. ScanBox Plated Line Single uses customized shelves to hold the plates in place.

Equipped with a stainless steel chassis, excenter lock, solid door, 160 mm lockable wheels, removable Uguide rails with 80 mm spacing, black RAL 9005, 220-230V single phase as standard. The equipment can be easily adapted as required through available extra options

Technical specification

MODEL SERIE: Plated Line Single - Fan heating



Product models	PLSHF16	
Properties		
Regulator	Digital	
Heating system	Element with fan & ventilation (std)	
Capacity		
Number of 65mm trays	16	
Physical Attributes		
Inside depth (mm)	723 mm	
Inside width (mm)	686 mm	
Inside height (mm)	1367 mm	
Outside depth (mm)	943 mm	
Outside width (mm)	890 mm	
Outside height (mm)	1765 mm	
Volume (I)	551 I	
Net weight (kg)	102 kg	
Spiral Cord	4.5 m	
Electrical Attributes		
Rated voltage (V)	220-240V / 1 phase	
Rated frequency (Hz)	50-60 Hz	
Power Rating (A)	7.98000000 A	
Power (W)	1800 W	
IP code	44	



Equipment & Accessories

MODEL SERIE: Plated Line Single - Fan heating



Exterior		
Default	Black (RAL 9005)	
303010-2	Signature Logo	
302030-1	Grey (RAL 7042)	
950001	Signature Cover	
302020-1	Red (RAL 3003)	

Electric System	
Default	220-240V - Type CEE 7/7
898294-1	220-240V - Type K
905390	220-240V - Type H
4000556	220-240V - Type L
898208-1	220-240V - Type J
90001	220-240V - Type C
898205-1	220-240V - Type G
905817	220-240V - Type I
898202-1	220-240V - Type G 1,5mm²
90004	220-240V - Type O
898203-1	220-240V - Type I
90002	220-240V - Type D
4000241	220-240V - Type M

Door	
Default	Solid
Door Handle	
Default	Excenter Lock
Logistic System	
361020	Central Brake
302002-2	Tow Bar Stainless Steel
302001-3	Tow Bar VE
Accessories	

www.scanbox.se

